

Burning Longleaf

The Pine that Fire Built

Karen Zilliox Brown

**Technical Assistance & Training Specialist
The Longleaf Alliance**



*The Longleaf Alliance
NRCS SC Fire Training*





The Longleaf Alliance
NRCS SC Fire Training

Burning Young Longleaf

Arguably, the Most Fire-Adapted Tree in North America

- Highly resistant to fire in the grass stage
- Resprouts after fire
- “Rockets” quickly to height above most flame lengths
- Thick insulating bark
- Needles are primary carrier of fire
- Seeds need mineral soil to germinate



Remember that longleaf is fire resilient, not fire-proof



Mortality will occur, no matter how carefully fire is applied.
What is your acceptable loss?





10 March 2017



Benefits and Objectives of Fire in Longleaf

- Brownspot Control
- Hardwood Control
- Pine Control
- Increase sunlight
- Encourage & Sustain Groundcover Plant Community
- Create Conditions for Future Fires
- Wildlife Habitat
- Aesthetics
- Regeneration
- Risk Reduction
- Promote tree form



Cypress Fire- Angelina National Forest

February 2014



The
NRC

ng Longleaf

Burning Young Longleaf

- First, decide why you should burn
 - Let your objective determine when
- Know and understand your fuels
- Avoid periods of active height growth (exposed candling)
- Avoid backing and intense ring fires; use grid ignition and strip-head fires instead



Young Longleaf

- Plan to burn as soon as enough fine fuel are present to carry the fire
- Vigorous grass stage seedlings
- At least 0.4" RCD




1 Year Old—Winter Burn



Resilience at the grass stage



Resprout at six-months post-burn





Longleaf vs. Loblolly



- Studied post-fire survival on study plots at the Solon Dixon Center, Andalusia, AL
- Planted Longleaf with seeded-in Loblolly
- Survival measured by height classes
 - **Grass Stage (longleaf)**
 - **<1" (loblolly)**
 - **1-3"**
 - **3-6 "**
 - **+6"**



What We Learned—

- **Longleaf out-survives Loblolly in all height classes**
- Even at the vulnerable 1-3”
- But loblolly survival was far worse at same height (1-3”)
- Grass stage longleaf, 3-6” and +6” did extremely well
- **At 6 feet tall**, both trees have comparable survival rates—
window has closed on loblolly control!



1-3' tall young longleaf—Winter Burn



1-3' tall young longleaf—Winter Burn



Photo: R. Thompson



Longleaf vs. Loblolly Early Fire Studies from The Longleaf Alliance

The Takeaways—

- Advantage for burning longleaf early in grass stage where loblolly is going to be an issue. Longleaf can take some heat where loblolly will perish— **Exploit their differences.**
- Loblolly survival dramatically increases at **6 feet---** window closing to control with fire— **Burn Early.**
- Loblolly has many characteristics of a weed—repeated fires needed to kill and suppress germinants—**Burn Frequently!**



No burn (or not soon enough)?



Second Burn



General Guidance on Burning Young Longleaf Pine

Avoid Burning

- Trees have been in the ground < 1 year
- RCD < 0.4"
- Poor vigor
- Exposed candles



General Guidance on Burning Young Longleaf Pine

Avoiding Exposed Candles



General Guidance on Burning Young Longleaf Pine

Use Caution

- Air temp > 80°F, RH < 25%, or winds < 5 mph
- Reduced seedling vigor
- Seedlings out of grass-stage to 5' (< 2" RCD)
- Backing fire as primary ignition technique
- Headfires where flame height=seedling height
- Heavy fuel loads
 - Heavy slash and logging debris
 - Pasture grasses, invasives, dense native grasses



General Guidance on Burning Young Longleaf Pine

Head Fires

vs.

Backing Fires




General Guidance on Burning Young Longleaf Pine

Good Conditions


- Seedlings in grass-stage or 5'+
- Air temperature 40s and 50s
- Reliable wind forecasted
- Fuels are in moderation
- Strip-head fire and point-source ignition are used as primary techniques



Strip-head Fire Ignition



Point-source Ignition



8 year old, ag field longleaf—Winter Burn



The Longleaf Alliance
NRCS SC Fire Training

Burning Young Longleaf

Plantation Longleaf—winter burn in high humidity



Photo: J. Hatcher



Fire plots at the Escambia Experimental Forest (USFS)

Mix of dormant & growing season burns

(Photo taken in March)



all photos by Becky Estes

A



B

Mix of dormant & growing season burns

(Photo taken in July)

Primarily dormant season burns

(Photo taken in March)



C



D

Primarily dormant season burns

(Photo taken in July)



“Pyrodiversity Begets Biodiversity”



Painting by Philip Juras



If you burn.....

- Become a Certified Burner!
- Burn (volunteer) with more experienced individuals
- Use quality gear
- Learn about weather and forecasting tools
- Develop a written burn plan and prescription
- Clearly state objective(s) and owner's intent
- Team up with others – don't go it alone



.....or if you contract

- Seek out one with experience burning longleaf, of all age classes
- Talk over your objectives; make sure they are heard
- Right burn day vs. “everyday is a burn day”
- Gain training and experience in order to make informed decisions—Certified Burner, Longleaf Academies, field days, PBAs or PFCs





THE
LONGLEAF
ALLIANCE

Karen Zilliox Brown

Technical Assistance & Training Specialist

karen@longleafalliance.org

803-607-5466



*The Longleaf Alliance
Longleaf 101 Academy*

The Longleaf Tree: A Natural History

References

- Haywood, J.D.; Harris, F.L.; Grelen, H.E. (2001). Vegetative response to 37 years of seasonal burning on a Louisiana longleaf pine site. *Southern Journal Applied Forestry*. 25(3): 122-130.
- Haywood, J.D. (2009). Eight years of seasonal burning and herbicidal brush control influence sapling longleaf pine growth, understory vegetation, and the outcome of an ensuing wildfire. *Forest Ecology and Management*, (258), 295-305.
- Roth, L., Franklin, R. Timing of prescribed fire in longleaf pine management: Benefits, risks, and roles by season. *Clemson University Extension*, Forestry Leaflet 32.
- Slack, A.W., N.E. Zeibig-Kichas, J.M. Kane, J.M. Varner (2016). Contingent resistance in longleaf pine (*Pinus palustris*) growth and defense 10 years following smoldering fires. *Forest Ecology and Management*. (364), 130–138.
- Varner, J.M., et al. (2007). Overstory tree mortality resulting from reintroducing fire to long-unburned longleaf pine forests: the importance of duff moisture. *Canadian Journal of Forest Research*, (37), 1349-1358.
- Varner, J.M., et al. (2009). Post-fire tree stress and growth following smoldering duff fires. *Forest Ecology and Management*, (258), 2467-2474.
- Walker, J.L., Silletti, A.M. (2006). Restoring the ground layer of longleaf pine ecosystems. In S. Jose, E.J. Jokela, D.L. Miller (Eds.), *The longleaf pine ecosystem* (pp. 297-325). New York, NY: Springer.
- Yeldell, N. et al. (2017). Use of pine-dominated forests by female eastern wild turkeys immediately after prescribed fire. *Forest Ecology and Management*, (398), 226-234.

